

ANNEXURE A

SCOPE OF ACCREDITATION


Accrditation Number: OH0241

TYPE C

<p><b>Permanent Address:</b>                  UMOYA Occupational Hygiene and Laboratory Solutions (Pty) Ltd                  Sitona Head Office                  Offices 19-22                  Waterval                  Rustenburg                  0299</p> <p>Tel: (010) 300-5709                  Fax: 086 540-4886                  Email: <a href="mailto:anri@umoyavohe.co.za">anri@umoyavohe.co.za</a></p>		<p><b>Postal Address:</b>                  P O Box 1659                  Waterfall Mall                  Rustenburg                  0323</p> <p>Issue No.: 05                  Date of issue: 06 October 2024                  Expiry date: 10 January 2025</p>	
<p><b>Nominated Representative:</b>                  Ms A de Jager</p> <p><b>Quality Manager:</b>                  Ms A de Jager</p>	<p><b>Technical Manager:</b>                  Ms A de Jager</p>	<p><b>Technical Signatory:</b>                  Ms A de Jager – Reg. No. 0878 (Full scope)</p> <p><b>Regulations:</b>                  1. Asbestos                  2. Lead                  3. Noise-Induced Hearing Loss                  4. Hazardous Chemical Agents</p>	
<p><b>Field of Inspection</b></p>	<p><b>Service Rendered</b></p>	<p><b>Codes and Regulations</b></p>	
<p><b>Regulatory:</b>                   The supply of services as an inspection authority for <b>Asbestos</b> Abatement Regulations, November 2020.</p>	<p><b>Inspection Authority for:</b>                   Regulation 4 (2)                  Regulation 5 (7)                  Regulation 13 (Regulation 15 (2)(c))                  Regulation 16                  Regulation 22</p>	<p>Procedures and In-house methods not limited to the following:</p> <p>OHS Act Legislated:</p> <ul style="list-style-type: none"> <li>• HSG 173: Monitoring Strategies for Toxic Substances</li> <li>• HSG 248: Asbestos, The analysts' guide for sampling, analysis and clearance procedures, HSE, UK.</li> <li>• OESSM: Occupational Exposure Sampling Strategy Manual</li> </ul> <p>Supplementary documents:</p> <ul style="list-style-type: none"> <li>• NIOSH Manual of Analytical Methods</li> <li>• OSHA Index of Sampling and Analytical Methods</li> </ul> <p>In-house Methods:</p> <ul style="list-style-type: none"> <li>• WIP-703 Asbestos Cowls Preparation</li> <li>• WIP-704 Asbestos Sampling Manual</li> </ul>	

Original date of accreditation: 11 January 2021

Page 1 of 3

  
**Accreditation Manager**


ANNEXURE A

Accreditation No: OH0241  
 Date of issue: 06 October 2024  
 Expiry date: 10 January 2025

Field of Inspection	Service Rendered	Codes and Regulations
The supply of services as an Inspection authority for <b>Lead</b> Regulations, Government Notice No. R 236 of 28 February 2002.	Regulation 7 – Air monitoring	OHS Act Legislated: <ul style="list-style-type: none"> <li>• HSG 173: Monitoring Strategies for Toxic Substances</li> <li>• OESSM: Occupational Exposure Sampling Strategy Manual</li> <li>• SANS 6164: Standard method for the determination of lead (inorganic and tetra-alkyl) in the workplace by atomic absorption and spectrophotometry</li> </ul> Supplementary documents: <ul style="list-style-type: none"> <li>• NIOSH Manual of Analytical Methods</li> <li>• OSHA Index of Sampling and Analytical Methods</li> <li>• HSE Methods for the Determination of Hazardous Substances (i.e. MDHS 14/4)</li> </ul> In-house Methods: <ul style="list-style-type: none"> <li>• WIP-711 Lead Sampling Manual</li> </ul>
The supply of services as an inspection authority for <b>Noise-Induced Hearing Loss</b> Regulations, Government Notice No. R 307 of 07 March 2003.	Regulation 7 – Noise monitoring	OHS Act Legislated: <ul style="list-style-type: none"> <li>• SANS 10083: Code of Practice for the Measurement and Assessment of Occupational Noise for Hearing Conservation Purposes</li> </ul> Supplementary documents: <ul style="list-style-type: none"> <li>• DME Guideline for the Compilation of a Mandatory Code of Practice for an Occupational Health Programme (Occupational Hygiene and Medical Surveillance) for Noise</li> </ul> In-house Methods: <ul style="list-style-type: none"> <li>• WIP-713 Occupational Noise Sampling Manual</li> </ul>
The supply of services as an inspection authority for the Regulations for <b>Hazardous Chemical Agents</b> , March 2021.	Regulation 6 – Air monitoring	OHS Act Legislated: <ul style="list-style-type: none"> <li>• OESSM: Occupational Exposure Sampling Strategy Manual</li> <li>• HSG 173: Monitoring Strategies for Toxic Substances (previously EH 42)</li> </ul> Supplementary documents: <ul style="list-style-type: none"> <li>• NIOSH Manual of Analytical Methods</li> <li>• OSHA Index of Sampling and Analytical Methods</li> <li>• AIHA: A Strategy for Assessing and Managing Occupational Exposures</li> <li>• HSE Methods for the Determination of Hazardous Substances (i.e. MDHS 14/4)</li> </ul> In-house Methods: <ul style="list-style-type: none"> <li>• WIP-721 HCS Sampling Manual</li> </ul>

Original date of accreditation: 11 January 2021

Page 2 of 3



**Accreditation Manager**

ANNEXURE A


Accreditation No: OH0241  
 Date of issue: 06 October 2024  
 Expiry date: 10 January 2025

Field of Inspection	Service Rendered	Codes and Regulations
<p><b>Maintenance of control measures</b>  <b>Examinations and tests of engineering control measures</b></p>		
<p>The supply of services as an inspection authority for <b>Asbestos</b> Abatement Regulations, November 2020.</p>	<p>Regulation 13 – (Regulation 15 (2)©)</p>	<p>OHS Act Legislated: None specified</p> <p>Supplementary documents:</p> <ul style="list-style-type: none"> <li>• The Safe Handling of Asbestos-containing Lagging or Insulation, Guidance Note No. 001 (Department of Labour)</li> </ul> <p>In-house Methods:</p> <ul style="list-style-type: none"> <li>• WIP-703 Asbestos Cowls Preparation</li> <li>• WIP-704 Asbestos Sampling Manual</li> </ul>
<p>The supply of services as an inspection authority for <b>Lead</b> Regulations, Government Notice No. R 236 of 28 February 2002.</p>	<p>Regulation 14 – Maintenance of control measures</p>	<p>OHS Act Legislated: None specified</p> <p>Supplementary documents:</p> <ul style="list-style-type: none"> <li>• ACGIH: "Industrial Ventilation: A Manual of Recommended Practice for Operation and Maintenance"</li> <li>• ANSI/ASHRAE 110: ASHRAE Standard "Method of Testing Performance of Laboratory Fume Hoods"</li> </ul> <p>In-house Methods:</p> <ul style="list-style-type: none"> <li>• WIP-711 Lead Sampling Manual</li> </ul>
<p>The supply of services as an inspection authority for the Regulations for <b>Hazardous Chemical Agents</b>, March 2021.</p>	<p>Regulation 12 – Maintenance of control measures</p>	<p>OHS Act Legislated: None specified</p> <p>Supplementary documents:</p> <ul style="list-style-type: none"> <li>• ACGIH: "Industrial Ventilation: A Manual of Recommended Practice for Operation and Maintenance"</li> <li>• ANSI/ASHRAE 110: ASHRAE Standard "Method of Testing Performance of Laboratory Fume Hoods"</li> <li>• General Safety Regulations (GNR. 1031 of 30 May 1986), Regulation 4 relates to use and storage of flammable liquids</li> </ul> <p>In-house Methods:</p> <ul style="list-style-type: none"> <li>• WIP-721 HCS Sampling Manual</li> </ul>

Original date of accreditation: 11 January 2021

Page 3 of 3

ISSUED BY THE SOUTH AFRICAN NATIONAL ACCREDITATION SYSTEM

  
**Accreditation Manager**